

Accept Voices, références bibliographiques
Thomas LANGLOIS, formation Accept Voices

Articles Scientifiques de références Accept Voices©

Langlois, T., Sanchez-Rodriguez, R., Bourcier, A., Lamy, P., Very, E., Callahan, S., & Lecomte, T. (2020). “Accept Voices©” Group Intervention for the Management of Auditory Verbal Hallucinations-Results at 6 and 12 Months. *Psychology and Psychotherapy: Theory, Research and Practice* (*Soumis*)

Langlois, T., Sanchez-Rodriguez, R., Bourcier, A., Lamy, P., Callahan, S., & Lecomte, T. (2020). Impact of the group intervention “Accept Voices©” for the management of auditory hallucinations. *Psychiatry Research*, 113159. <https://doi.org/10.1016/j.psychres.2020.113159>

Langlois, T., Bourcier, A., Lamy, P., Lhermine, M., Callahan, S., & Lecomte, T. (2020). Narrative changes about “voices” following a contextual group therapy for people with psychosis. *Psychosis*, 1–12. <https://doi.org/10.1080/17522439.2020.1801817>

Langlois, T., Sanchez-Rodriguez, R., Klein, R., Lamy, P., Callahan, S., & Lecomte, T. (2020). Acceptation des « voix » chez les personnes avec ou sans troubles psychiatriques: Validation francophone de l’échelle VAAS à 9 items. *L’Encéphale*, S0013700620300361. <https://doi.org/10.1016/j.encep.2020.01.009>

Langlois, T., Bourcier, A., Olivier, F., Lecomte, T., & Callahan, S. (2020). Évaluation du sentiment d’efficacité des cliniciens lors d’une formation TCC pour la gestion des hallucinations auditives en groupe: Étude Accept Voices©. *Annales Médico-psychologiques, revue psychiatrique*, S000344872030010X. <https://doi.org/10.1016/j.amp.2020.01.010>

Langlois, T., Olivier, F., & Amoyal, C. (2012). L’évaluation des fonctions neurocognitives dans la schizophrénie: De l’examen complémentaire à la fonction thérapeutique. *Journal de Thérapie Comportementale et Cognitive*, 22(3), 117–124. <https://doi.org/10.1016/j.jtcc.2012.07.001>

Ouvrages et chapitres

Langlois, T. (2019). J’entends des voix : Mieux vivre avec ses hallucinations auditives. Ed. O. Jacob.

Langlois, T. (2020). Hallucinations. In *Psycho-traumatologie*. Kédia, M., Sabouraud-Séguin et al. Ed. Dunod.

Articles parus dans des revues spécialisées

Langlois, T., Lecomte, T. (2021) Approche novatrice pour les voix de personnes suivies en psychiatrie : Le programme Accept Voices©. *Le partenaire*. Vol.26 Nov. 2021.

Langlois, T. (2020). Le programme Accept Voices©. Santé mentale. N°253. Dec. 2020.

Pour aller plus loin...

- Baethge, C., Baldessarini, R. J., Freudenthal, K., Streeruwitz, A., Bauer, M., & Bschor, T. (2005). Hallucinations in bipolar disorder: Characteristics and comparison to unipolar depression and schizophrenia. *Bipolar Disorders*, 7(2), 136–145.
- Bauer, S. M., Schanda, H., Karakula, H., Olajossy-Hilkesberger, L., Rudaleviciene, P., Okribelashvili, N., Chaudhry, H. R., Idemudia, S. E., Gscheider, S., Ritter, K., & Stompe, T. (2011). Culture and the prevalence of hallucinations in schizophrenia. *Comprehensive Psychiatry*, 52(3), 319–325.
- Brunelin, J., Mondino, M., Gassab, L., Haesebaert, F., Gaha, L., Suaud-Chagny, M.-F., Saoud, M., Mechri, A., & Poulet, E. (2012). Examining Transcranial Direct-Current Stimulation (tDCS) as a Treatment for Hallucinations in Schizophrenia. *American Journal of Psychiatry*, 169(7), 719–724.
- Gras, A., Amad, A., Thomas, P., & Jardri, R. (2014). Hallucinations et trouble de personnalité borderline: Une revue de littérature. *L'Encéphale*, 40(6), 431–438.
- Laroï, F., Sommer, I. E., Blom, J. D., Fernyhough, C., ffytche, D. H., Hugdahl, K., Johns, L. C., McCarthy-Jones, S., Preti, A., Raballo, A., Slotema, C. W., Stephane, M., & Waters, F. (2012). The Characteristic Features of Auditory Verbal Hallucinations in Clinical and Nonclinical Groups: State-of-the-Art Overview and Future Directions. *Schizophrenia Bulletin*, 38(4), 724–733.
- Nicolson, S. E., Mayberg, H. S., Pennell, P. B., & Nemeroff, C. B. (2006). Persistent auditory hallucinations that are unresponsive to antipsychotic drugs. *American Journal of Psychiatry*, 163(7), 1153–1159.
- Thomas, P., Mathur, P., Gottesman, I. I., Nagpal, R., Nimgaonkar, V. L., & Deshpande, S. N. (2007). Correlates of hallucinations in schizophrenia: A cross-cultural evaluation. *Schizophrenia Research*, 92(1–3), 41–49.
- Jardri, R., Favrod, J., & Larøi, F. (2016). *Psychothérapies des hallucinations*. Elsevier Masson
- Beck, A. T., & Rector, N. A. (2003). A Cognitive Model of Hallucinations. *Cognitive Therapy and Research*, 27(1), 19–52.
- Beck-Sander, A., Birchwood, M., & Chadwick, P. (1997). Acting on command hallucinations: A cognitive approach. *British Journal of Clinical Psychology*, 36(1), 139–148. <https://doi.org/10.1111/j.2044-8260.1997.tb01237.x>
- Birchwood, M., & Chadwick, P. (1997). The omnipotence of voices: Testing the validity of a cognitive model. *Psychological Medicine*, 27(6), 1345–1353.
- Chadwick, P. (2006). *Person-based cognitive therapy for distressing psychosis*. John Wiley & Sons.
- Dannahy, L., Hayward, M., Strauss, C., Turton, W., Harding, E., & Chadwick, P. (2011). Group person-based cognitive therapy for distressing voices: Pilot data from nine groups. *Journal of Behavior Therapy and Experimental Psychiatry*, 42(1), 111–116. <https://doi.org/10.1016/j.jbtep.2010.07.006>
- Freeman, D., & Garety, P. A. (2002). Cognitive therapy for an individual with a long-standing persecutory delusion. *A Casebook of Cognitive Therapy for Psychosis*. Hove: Brunner-Routledge, 173–196.

- Gaynor, K., Ward, T., Garety, P., & Peters, E. (2013). The role of safety-seeking behaviours in maintaining threat appraisals in psychosis. *Behaviour Research and Therapy*, 51(2), 75–81. <https://doi.org/10.1016/j.brat.2012.10.008>
- Lecomte, T., & Leclerc, C. (2013). Implementing cognitive behaviour therapy for psychosis. *CBT for Psychosis: A Symptom-Based Approach*, 144–158.
- Lecomte, T., Potvin, S., Samson, C., Francoeur, A., Hache-Labelle, C., Gagné, S., Boucher, J., Bouchard, M., & Mueser, K. T. (2019). Predicting and preventing symptom onset and relapse in schizophrenia—A metareview of current empirical evidence. *Journal of Abnormal Psychology*, 128(8), 840–854.
- Shiraishi, N., Watanabe, N., Kinoshita, Y., Kaneko, A., Yoshida, S., Furukawa, T. A., & Akechi, T. (2014). Brief Psychoeducation for Schizophrenia Primarily Intended to Change the Cognition of Auditory Hallucinations: An Exploratory Study. *The Journal of Nervous and Mental Disease*, 202(1), 35–39.
- St-Onge, M., Grégoire, S., & Breault-Ruel, S. (2016). Les croyances par rapport aux voix, les stratégies d'adaptation et le fonctionnement social de personnes atteintes de schizophrénie. *Canadian Journal of Community Mental Health*, 35(2), 1–17.
- Wykes, T. (2004). Psychological treatment for voices in psychosis. *Cognitive Neuropsychiatry*, 9(1–2), 25–41.
- Chadwick, P., Hughes, S., Russell, D., Russell, I., & Dagnan, D. (2009). Mindfulness Groups for Distressing Voices and Paranoia: A Replication and Randomized Feasibility Trial. *Behavioural and Cognitive Psychotherapy*, 37(04), 403.
- Chadwick, P., Taylor, K. N., & Abba, N. (2005). Mindfulness Groups for People with Psychosis. *Behavioural and Cognitive Psychotherapy*, 33(3), 351–359.
- Khoury, B., Lecomte, T., Gaudiano, B. A., & Paquin, K. (2013). Mindfulness interventions for psychosis: A meta-analysis. *Schizophrenia Research*, 150(1), 176–184.
- Li, Y., Coster, S., Norman, I., Chien, W. T., Qin, J., & Bressington, D. (2020). Feasibility, acceptability, and preliminary effectiveness of mindfulness-based interventions for people with recent-onset psychosis: A systematic review. *Early Intervention in Psychiatry*, eip.12929.
- Louise, S., Fitzpatrick, M., Strauss, C., Rossell, S. L., & Thomas, N. (2018). Mindfulness- and acceptance-based interventions for psychosis: Our current understanding and a meta-analysis. *Schizophrenia Research*, 192, 57–63.
- Morris, E. M. J., Johns, L. C., & Oliver, J. E. (Eds.). (2013). *Acceptance and commitment therapy and mindfulness for psychosis*. Wiley-Blackwell, a John Wiley & Sons, Ltd., Publication.